



**NIKA**  
KONSTRUKCIJE

# KATALOG SPORTSKE OPREME

*SPORTS EQUIPMENT CATALOG*







**NIKA**  
KONSTRUKCIJE

Ulica Braće Radić 23  
42206, Petrijanec, Hrvatska

tel/fax: +385 42 303 166  
tel: +385 42 303 167

email: [info@nika-konstrukcije.hr](mailto:info@nika-konstrukcije.hr)  
web: [www.nika-konstrukcije.hr](http://www.nika-konstrukcije.hr)



Europska unija  
Zajedno do fondova EU

Projekt je sufinancirala Europska unija  
iz Europskog fonda za regionalni razvoj.

Sadržaj publikacije/emitiranog materijala isključiva  
je odgovornost tvrtke Nika konstrukcije d.o.o.



[www.strukturnifondovi.hr](http://www.strukturnifondovi.hr)

# Profil tvrtke

Company profile



**NIKA**  
KONSTRUKCIJE

Tvrtka NIKA-KONSTRUKCIJE d.o.o. bilježi početke rada od ožujka 1986 godine pod nazivom G.M.G. d.o.o. Početak rada vezan je na proizvodnju metalnog namještaja i opreme za trgovine.

U siječnju 1995 godine osniva se tvrtka pod imenom „NIKA-KONSTRUKCIJE“ d.o.o. za proizvodnju sajamske opreme. Statusne promjene nastaju početkom 2000 godine kada se tvrtka G.M.G. d.o.o. spaja sa „NIKA-KONSTRUKCIJAMA“ d.o.o. i postaje njen sastavni dio.

Većina proizvoda iz proizvodnog programa kao bazu koristi poluproizvode iz ekstrudiranog aluminija i visokokvalitetnih čelika, po čemu je tvrtka prepoznatljiva. Od početaka do danas tvrtka bilježi rast u svakom segmentu, broju proizvodnih programa i obimu proizvodnje, broju zaposlenih, ostvarene realizacije...

Danas sa 23 zaposlenih razvijamo 5 glavnih programa koji čine značajni udio u prihodima tvrtke:

- 1. Sportski program** (oprema za sportske dvorane i vanjske terene - nogometni i rukometni golovi, stupovi za odbojku, tenis i badminton...)
- 2. Mobilne bine** (mobilne bine za unutrašnje i vanjske prostore sa stepenicama, zaštitnim ogradama, kolicima za prijevoz i skladištenje...)
- 3. Malonogometne arene** (za mini nogomet i ostale sportove na vanjskim terenima)
- 4. Sajamska oprema** (oprema za sajmove - najam i prodaja)
- 5. NIKA-SOLAR** - Aluminijske konstrukcije za montažu solarnih elektrana

# Sadržaj

Table of contents

01	Nogometni golovi / Soccer goals	4
02	Rukometni golovi / Handball goals	24
03	Odbojka / Volleyball	30
04	Tenis / Tennis	36
05	Badminton / Badminton	40
06	Pozornice / Stages	42
07	Kućice za rezervne igrače / Shelters for substitute players	46
08	Malonogometna igrališta / Futsal courts	48
09	Jednocijevna košarkaška konstrukcija / Single-pole basketball stand	50
10	Garderobne klupe / Locker room benches	52

# Nogometni gol dim: 7,32 x 2,44 m - stabilni

Soccer goal dimensions: 7.32 x 2.44 m - stable



## Nogometni gol sa čahurama i nosačima mreže


- radi se prema DIN-EN 748 normi
- vratnica gola od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 48mm
- čahure za nosače mreže - željezni profil fi 60mm
- PVC ili metalne kukice
- dubina gola 2,00 m

## Socketed soccer goal with net support


- made according to DIN-EN 748 standard
- goal post made of oval section 120 x 100 mm
- net support - iron section  $\varnothing$  48 mm
- net support sockets - iron section  $\varnothing$  60 mm
- pvc or metal hooks
- goal depth: 2.00 m




**DIN-EN 748 norma**  
DIN-EN 748 standard



**Profil čahure**  
Socket section



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Gol 7,32 X 2,44 m**  
Soccer goal 7.32 x 2.44 m

**ART. 6855 - S7**  
Art. 6855 - S7

**bijelo plastificirani**  
white plastic-coated

# Nogometni gol dim: 5,00 x 2,00 m i 3,00 x 2,00 - stabilni

Soccer goal dimensions: 5.00 x 2.00 m & 3.00 x 2.00 m - stable




## Nogometni gol sa čahurama i nosačima mreže

- radi se prema DIN-EN 748 normi
- vratnica gola od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 48mm
- čahure za nosače mreže - željezni profil fi 60mm
- PVC ili metalne kukice




**DIN-EN 748 norma**  
DIN-EN 748 standard




**Profil čahure**  
Socket section

## Socketed soccer goal with net support

- made according to DIN-EN 748 standard
- goal post made of oval section 120 x 100 mm
- net support - iron section  $\varnothing$  48 mm
- net support sockets - iron section  $\varnothing$  60 mm
- pvc or metal hooks



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 5,00 X 2,00 m</b> Soccer goal 5.00 x 2.00 m	<b>ART. 6855 - S5</b> Art. 6855 - S5	<b>bijelo plastificirani</b> white plastic-coated
<b>Gol 3,00 X 2,00 m</b> Soccer goal 3.00 x 2.00 m	<b>ART. 6855 - S3</b> Art. 6855 - S3	<b>bijelo plastificirani</b> white plastic-coated

# Detalji gola

Details of the goal




## Nosač mreže

Net support  
ART. 100 NM



## Čahura za nosač mreže

Net support sockets  
ART. 101 CNM



## PVC kukice

PVC hooks  
ART. 104 KP



## Čahura s vijkom

Socket with a screw  
ART. 6882 - CN1



## Čahura - vareno dno

Socket - welded bottom  
ART. 6882 - CN



## Metalne kukice

Metal hooks  
ART. 104 KM





# Nogometni gol dim: 7,32 x 2,44 m - stabilni

Soccer goal dimensions: 7.32 x 2.44 m - stable



## Nogometni gol sa čahurama, nosačima i podizačima mreže


- radi se prema DIN-EN 748 normi
- vratnica gola od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 48mm
- čahure za nosače mreže - željezni profil fi 60mm
- PVC ili metalne kukice
- dubina gola 2,00 m
- podizač mreže (metalni) - ovalna cijev 38 x 20 mm, ili
- podizač mreže (alumijski) - ovalna cijev 55 x 35 mm

## Socketed soccer goal with net support and net lifters


- made according to DIN-EN 748 standard
- goal post made of oval section 120 x 100 mm
- net support - iron section  $\varnothing$  48 mm
- net support sockets - iron section  $\varnothing$  60 mm
- pvc or metal hooks
- goal depth: 2.00 m
- net lifter (metal) - oval tubing 38 x 20 mm
- net lifter (aluminum) - oval tubing 55 x 35 mm




**DIN-EN 748 norma**  
DIN-EN 748 standard




**Profil čahure**  
Socket section



**Profil vratnice**  
Goal post section



**Profil uložka**  
Padding section



**Profil podizača mreže**  
Net lifter section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Gol 7,32 X 2,44 m**  
Soccer goal 7.32 x 2.44 m

**ART. 6855 - PM7**  
Art. 6855 - PM7

**podizač mreže metalni**  
metal net lifter

**Gol 7,32 X 2,44 m**  
Soccer goal 7.32 x 2.44 m

**ART. 6855 - PA7**  
Art. 6855 - PA7

**podizač mreže alumijski**  
aluminum net lifter

# Nogometni gol dim: 5,00 x 2,00 m - stabilni

Soccer goal dimensions: 5.00 x 2.00 m - stable



## Nogometni gol sa čahurama, nosačima i podizačima mreže


- radi se prema DIN-EN 748 normi
- vratnica gola od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 48mm
- čahure za nosače mreže - željezni profil fi 60mm
- PVC ili metalne kukice
- dubina gola 1,50 m
- podizač mreže (metalni) - ovalna cijev 38 x 20 mm, ili
- podizač mreže (aluminijски) - ovalna cijev 55 x 35 mm

## Socketed soccer goal with net support and net lifters


- made according to DIN-EN 748 standard
- goal post made of oval section 120 x 100 mm
- net support - iron section  $\varnothing$  48 mm
- net support sockets - iron section  $\varnothing$  60 mm
- pvc or metal hooks
- goal depth: 1.50 m
- net lifter (metal) - oval tubing 38 x 20 mm
- net lifter (aluminum) - oval tubing 55 x 35 mm




**DIN-EN 748 norma**  
DIN-EN 748 standard




**Profil čahure**  
Socket section



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section



**Profil podizača mreže**  
Net lifter section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Gol 5,00 X 2,00 m**  
Soccer goal 5.00 x 2.00 m

**ART. 6855 - PM5**  
Art. 6855 - PM5

**podizač mreže metalni**  
metal net lifter

**Gol 5,00 X 2,00 m**  
Soccer goal 5.00 x 2.00 m

**ART. 6855 - PA5**  
Art. 6855 - PA5

**podizač mreže aluminijски**  
aluminum net lifter

# Detalji gola

Details of the goal




**Nosač mreže**

Net support  
ART. 100 NM



**Čahura za nosač mreže**

Net support sockets  
ART. 101 CNM



**PVC kukice**

PVC hooks  
ART. 104 KP



**Čahura s vijkom**

Socket with a screw  
ART. 6882 - CN1



**Čahura - vareno dno**

Socket - welded bottom  
ART. 6882 - CN



**Metalne kukice**


Metal hooks  
ART. 104 KM

# Podni podizač mreže dim: 7,32 x 2,00 m i 5,00 x 1,50 m

Ground net lifter dimensions: 7.32 x 2.00 m & 5.00 x 1.50 m



## Podni podizač mreže - metalni

Ground net lifter - metal



## Podni podizač mreže - aluminijски

Ground net lifter - aluminum



Naziv proizvoda  
Product name

Kataloška oznaka  
Catalog reference

**Dim: 7,32 x 2,00 m**  
Dim: 7.32 x 2.00 m

**ART. 102 PM7**  
Art. 102 PM7

**Dim: 5,00 x 1,50 m**  
Dim: 5.00 x 1.50 m

**ART. 102 PM5**  
Art. 102 PM5

Naziv proizvoda  
Product name

Kataloška oznaka  
Catalog reference

**Dim: 7,32 x 2,00 m**  
Dim: 7.32 x 2.00 m

**ART. 102 PA7**  
Art. 102 PA7

**Dim: 5,00 x 1,50 m**  
Dim: 5.00 x 1.50 m

**ART. 102 PA5**  
Art. 102 PA5

# Nogometni gol dim: 7,32 x 2,44 m - mobilni

Soccer goal dimensions: 7.32 x 2.44 m - portable




## Nogometni gol - mobilni - montažni

- radi se prema DIN-EN 748 normi
- vratnica gola i podni nosač od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 33 mm ili aluminijski profil fi 35 mm
- dubina gola 185 / 200 cm
- PVC ili metalne kukice




**DIN-EN 748 norma**  
DIN-EN 748 standard



**Profil vratnice**  
Goal post section

## Soccer goal - portable - assemblable

- made according to DIN-EN 748 standard
- goal post and ground mount made of oval section 120 x 100 mm
- net support - iron section Ø 33 mm or aluminum section Ø 35 mm
- goal depth: 185 / 200 cm
- PVC or metal hooks



**Profil uloška**  
Padding section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Gol 7,32 X 2,44 m**  
Soccer goal 7.32 x 2.44 m

**ART. 6855 - M7**  
Art. 6855 - M7

**dubina gola 185/200 cm**  
goal depth 185 / 200 cm

# Nogometni gol dim: 5,00 x 2,00 m i 3,00 x 2,00 m - mobilni

Soccer goal dimensions: 5.00 x 2.00 m & 3.00 x 2.00 m - portable




## Nogometni gol - mobilni - montažni

- radi se prema DIN-EN 748 normi
- vratnica gola i podni nosač od ovalnog profila 120 x 100mm
- nosači mreže - željezni profil fi 33 mm ili aluminijski profil fi 35 mm
- dubina gola 135 / 150 cm
- PVC ili metalne kukice




**DIN-EN 748 norma**  
DIN-EN 748 standard



**Profil vratnice**  
Goal post section

## Soccer goal - portable - assemblable

- made according to DIN-EN 748 standard
- goal post and ground mount made of oval section 120 x 100 mm
- net support - iron section Ø 33 mm or aluminum section Ø 35 mm
- goal depth: 135 / 150 cm
- PVC or metal hooks



**Profil uloška**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 5,00 X 2,00 m</b> Soccer goal 5.00 x 2.00 m	<b>ART. 6855 - M5</b> Art. 6855 - M5	<b>dubina gola 135/150 cm</b> goal depth 135 / 150 cm
<b>Gol 3,00 X 2,00 m</b> Soccer goal 3.00 x 2.00 m	<b>ART. 6855 - M3</b> Art. 6855 - M3	<b>dubina gola 135/150 cm</b> goal depth 135 / 150 cm

# Detalji gola

Details of the goal



## Ručka za prijenos gola

Goal carrying handle  
ART. 114 R



## Anker za fiksiranje gola 1

Goal anchor (section welded)  
ART. 103 AF



## Anker za fiksiranje gola 2

Goal anchor (portable)  
ART. 103 AM



## Kotač

Wheel  
ART. 114 K



## Spiralni anker (kratki ili dugi)

Spiral anchor (long or short)  
ART. 103 AK (kratki / short)  
ART. 103 AD (dugi / long)



## Metalne ili PVC kukice

Metal or PVC hooks  
ART. 104 KM (metalne / metal)  
ART. 104 KP (plastične / plastic)





# Nogometni gol dim: 7,32 x 2,44 i 5,00 x 2,00 m - mobilni

Soccer goal dimensions: 7.32 x 2.44 & 5.00 x 2.00 m - portable



## Nogometni gol - mobilni - potpuno zavaren


- radi se prema DIN-EN 748 normi
- vratnica gola i podni nosač od ovalnog profila 120 x 100 mm
- nosači mreže - aluminijski profil fi 35 mm
- ručke za prijenos gola (2 kom)
- kotači (4 kom)
- ankeri (4 kom)
- kutna dijagonala L = 90 cm
- PVC ili metalne kukice
- dubina gola 80 / 190 cm

## Soccer goal - portable - fully welded


- made according to DIN-EN 748 standard
- goal post and ground mount made of oval section 120 x 100 mm
- net support - iron section Ø 35 mm
- goal carrying handles (2 pcs.)
- wheels (4 pcs.)
- anchors (4 pcs.)
- angular diagonal (l = 90 cm)
- PVC or metal hooks
- goal depth: 80 / 190 cm



**DIN-EN 748 norma**  
DIN-EN 748 standard



**Profil vratnice**  
Goal post section



**Profil uložka**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 7,32 X 2,44 m</b> Soccer goal 7.32 x 2.44 m	<b>ART. 6855 - FV7</b> Art. 6855 - FV7	<b>dubina gola 80/190 cm</b> goal depth 80 / 190 cm
<b>Gol 5,00 X 2,00 m</b> Soccer goal 5.00 x 2.00 m	<b>ART. 6855 - FV5</b> Art. 6855 - FV5	<b>dubina gola 80/190 cm</b> goal depth 80 / 190 cm



# Nogometni gol dim: 7,32 x 2,44, 5,00 x 2,00 i 3,00 x 2,00 m - mobilni, sigurnosni

Soccer goal dimensions: 7.32 x 2.44, 5.00 x 2.00, 3.00 x 2.00 m - portable, safety goal



## Nogometni gol - mobilni - potpuno zavareni - sigurnosni golovi


- radi se prema DIN-EN 748 normi
- vratnica od ovalnog profila 100 x 109 mm
- nosači mreže - aluminijски
- ručke za prijenos gola (2 kom)
- kotači (4 kom)
- kutna dijagonala L = 90 cm
- PVC ili metalne kukice
- dubina gola 80 / 190 cm

## Soccer goal - portable - fully welded


- made according to DIN-EN 748 standard
- goal post made of oval section 100 x 109 mm
- net support - aluminum
- goal carrying handles (2 pcs.)
- wheels (4 pcs.)
- angular diagonal (l = 90 cm)
- PVC or metal hooks
- goal depth: 80 / 190 cm




**DIN-EN 748 norma**  
DIN-EN 748 standard



**Profil vratnice**  
Goal post section



**Zadnji pod. profil**  
Rear ground section



**Profil uložka**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 7,32 X 2,44 m</b> Soccer goal 7.32 x 2.44 m	<b>ART. 6855 - M7S</b> Art. 6855 - M7S	<b>dubina gola 80/190 cm</b> goal depth 80 / 190 cm
<b>Gol 5,00 X 2,00 m</b> Soccer goal 5.00 x 2.00 m	<b>ART. 6855 - M5S</b> Art. 6855 - M5S	<b>dubina gola 80/150 cm</b> goal depth 80 / 150 cm
<b>Gol 3,00 X 2,00 m</b> Soccer goal 3.00 x 2.00 m	<b>ART. 6855 - M3S</b> Art. 6855 - M3S	<b>dubina gola 80/150 cm</b> goal depth 80 / 150 cm

# Detalji gola

Details of the goal



## Ručka za prijenos gola

Goal carrying handle

ART. 114 R



## Detalj veze profila

Padding details



## Detalj veze profila

Section tie details



## Kotač

Wheel

ART. 114 K



## Metalne ili PVC kukice

Metal or PVC hooks

ART. 104 KM (metalne)

ART. 104 KP (plastične)



## Detalj kotača na profil

Section wheel details

# Nogometni gol dim: 3,00 x 1,60 m - mobilni

Soccer goal dimensions: 3.00 x 1.60 - portable




## Nogometni gol - mobilni - potpuno zavaren

- vratnica od kvadratnog profila 80 x 80 mm
- donji profil 80 x 40 mm
- nosači mreže - aluminijски fi 35 mm
- kutna dijagonala
- spiralni ankeri (2 kom)
- dubina gola 100 / 100 cm
- PVC kukice

## Soccer goal - portable - fully welded

- goal post made of square section 80 x 80 mm
- bottom section 80 x 40 mm
- net support - aluminum Ø 35 mm
- angular diagonal
- spiral anchors (2 pcs.)
- goal depth: 100 / 100 cm
- PVC hooks



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Gol 3,00 X 1,60 m**  
Soccer goal 3.00 x 1.60 m

**ART. 6855 - 3FV**  
Art. 6855 - 3FV

**dubina gola 100/100 cm**  
goal depth 100 / 100 cm


# Nogometni gol dim: 2,00 x 1,00 m - "U9"

Soccer goal dimensions: 2.00 x 1.00 m - "U9"



## Nogometni gol - "U9"

- vratnica i podni profil od ovalnog profila 55 x 35 mm
- nosači mreže - aluminijски
- spiralni ankeri (2 kom)
- dubina gola 60 / 60 cm
- PVC kukice



**Profil vratnice**  
Goal post section

## Soccer goal - "U9"

- goal post and ground mount made of oval section 55 x 35 mm
- net support - aluminum
- spiral anchors (2 pcs.)
- goal depth: 60 / 60 cm
- PVC hooks

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 2,00 X 1,00 m</b> Soccer goal 2.00 x 1.00 m	<b>ART. 6855 - U9FV</b> Art. 6855 - U9FV	<b>potpuno zavaren</b> fully welded
<b>Gol 2,00 X 1,00 m</b> Soccer goal 2.00 x 1.00 m	<b>ART. 6855 - U9M</b> Art. 6855 - U9M	<b>montažni</b> assemblable

# Mini nogometni golovi

Mini soccer goals




## Mini nogometni golovi


- vratnica i podni profil od aluminijskog profila 80 x 80 mm ili 80 x 40 mm
- nosači mreže - metalni
- montažni ili potpuno zavareni
- PVC kukice

## Mini soccer goals

- goal post and ground mount made of aluminum section 80 x 80 mm or 80 x 40 mm
- net support - metal
- assemblable or fully welded
- PVC hooks



**Profil vratnice (80x80)**  
Goal post section (80x80)



**Profil vratnice (80x40)**  
Goal post section (80x40)

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 2,40 X 1,60 m</b> Soccer goal 2.40 x 1.60 m	<b>ART. 6855 - 1</b> Art. 6855 - 1	<b>alu. profil 80x80, potpuno zavaren ili montažni</b> 80x80 aluminum section, fully welded or assemblable
<b>Gol 1,80 X 1,20 m</b> Soccer goal 1.80 x 1.20 m	<b>ART. 6855 - 2</b> Art. 6855 - 2	<b>alu. profil 80x80, potpuno zavaren</b> 80x80 aluminum section, fully welded
<b>Gol 1,20 X 0,80 m</b> Soccer goal 1.20 x 0.80 m	<b>ART. 6855 - 3</b> Art. 6855 - 3	<b>alu. profil 80x80, potpuno zavaren</b> 80x80 aluminum section, fully welded
<b>Gol 1,80 X 1,20 m</b> Soccer goal 1.80 x 1.20 m	<b>ART. 6855 - 4</b> Art. 6855 - 4	<b>alu. profil 80x40, potpuno zavaren</b> 80x40 aluminum section, fully welded
<b>Gol 1,20 X 0,80 m</b> Soccer goal 1.20 x 0.80 m	<b>ART. 6855 - 5</b> Art. 6855 - 5	<b>alu. profil 80x40, potpuno zavaren</b> 80x40 aluminum section, fully welded





# Rukometni gol dim: 3,00 x 2,00 m i 2,40 x 1,60 m

Handball goal dimensions: 3.00 x 2.00 m & 2.40 x 1.60 m



## Rukometni gol - standard


- radi se prema DIN-EN 749 normi
- vratnica od kvadratnog aluminijskog profila 80 x 80 mm
- dubina gola 90/120 cm
- nosači mreže - željezni profil 30/50mm i cijev fi 35mm ili
- nosači mreže - aluminijski profil 30/50mm i cijev fi 35mm
- PVC ili metalne kukice
- standard boja: modro - bijela ili crveno - bijela

## Handball goal - standard


- made according to DIN-EN 749 standard
- goal post made of square aluminum section 80 x 80 mm
- goal depth: 90/120 cm
- net support iron - section 30/50 with  $\varnothing$  35 mm tubing or
- net support aluminum - section 30/50 with  $\varnothing$  35 mm tubing
- PVC or metal hooks
- standard color: blue-white or red-white



**DIN-EN 749 norma**  
DIN-EN 749 standard



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 3,00 X 2,00 m</b> Goal 3.00 x 2.00 m	<b>ART. 6853 - R3</b> Art. 6853 - R3	<b>nosači mreže - vruće cinčani</b> hot-dip galvanized net support
<b>Gol 2,40 X 1,60 m</b> Goal 2.40 x 1.60 m	<b>ART. 6853 - R2</b> Art. 6853 - R2	<b>nosači mreže - vruće cinčani</b> hot-dip galvanized net support
<b>Gol 3,00 X 2,00 m</b> Soccer goal 3.00 x 2.00 m	<b>ART. 6853 - R3P</b> Art. 6853 - R3P	<b>nosači mreže - plastificirani</b> plastic-coated net support
<b>Gol 2,40 X 1,60 m</b> Goal 2.40 x 1.60 m	<b>ART. 6853 - R2P</b> Art. 6853 - R2P	<b>nosači mreže - plastificirani</b> plastic-coated net support



# Rukometni gol dim: 3,00 x 2,00 m IHF

Handball goal dimensions: 3.00 x 2.00 m IHF



## Rukometni gol - IHF

- radi se prema DIN-EN 749 normi
- IHF certifikat
- vratnica od kvadratnog aluminijskog profila 80 x 80 mm
- dubina gola 110/135 cm
- nosači mreže - željezni profil 30/50mm i cijev fi 35mm ili
- nosači mreže - aluminijski profil 30/50mm i cijev fi 35mm
- PVC ili metalne kukice
- standard boja: modro - bijela

## Handball goal - INF


- made according to DIN-EN 749 standard
- IHF certificate
- goal post made of square aluminum section 80 x 80 mm
- goal depth: 110/135 cm
- net support iron - section 30/50 with  $\varnothing$  35 mm tubing or
- net support aluminum - section 30/50 with  $\varnothing$  35 mm tubing
- PVC or metal hooks
- standard color: blue-white




IHF certifikat  
IHF certificate



DIN-EN 749 norma  
DIN-EN 749 standard



Profil vratnice  
Goal post section



Profil uloška  
Padding section

Naziv proizvoda  
Product name

Kataloška oznaka  
Catalog reference

Napomena  
Note

**Gol 3,00 X 2,00 m**  
Goal 3.00 x 2.00 m

**ART. 6853 - IHF**  
Art. 6853 - IHF

**boja: standard**  
color: standard

**Gol 3,00 X 2,00 m**  
Goal 3.00 x 2.00 m

**ART. 6853 - IHF1**  
Art. 6853 - IHF1

**boja: prema RAL karti**  
color: according to RAL color chart

# Detalji gola

Details of the goal



**Slika stativne**

Goal post



**Slika utora**

Slot



**Slika kuta**

Angle



**PVC poklopac 80 x 80 mm**

PVC lid 80 x 80 mm  
ART. 115 - P



**Ankeri za parket**

Parquet anchors  
ART. 103 - SP



**Ankeri za beton, asfalt**

Concrete / asphalt anchors  
ART. 103 - SB



# Rukometni gol dim: 3,00 x 2,00 m i 2,40 x 1,60 m

Handball goal dimensions: 3.00 x 2.00 m & 2.40 x 1.60 m



## Rukometni gol - sa čahurama


- radi se prema DIN-EN 749 normi
- vratnica od kvadratnog aluminijskog profila 80 x 80 mm
- čahura od okruglog aluminijskog profila fi 100 mm, L = 400 mm
- dubina gola 90/120 cm
- nosači mreže - željezni profil 30/50mm i cijev fi 35mm ili
- nosači mreže - aluminijski profil 30/50mm i cijev fi 35mm
- PVC ili metalne kukice
- standard boja: modro - bijela ili crveno - bijela

## Handball goal - socketed


- made according to DIN-EN 749 standard
- goal post made of square aluminum section 80 x 80 mm
- socket made of round aluminum section Ø 100 mm, l = 400 mm
- goal depth: 90/120 cm
- net support iron - section 30/50 with Ø 35 mm tubing or
- net support aluminum - section 30/50 with Ø 35 mm tubing
- PVC or metal hooks
- standard color: blue-white or red-white



**DIN-EN 749 norma**  
DIN-EN 749 standard



**Profil vratnice**  
Goal post section



**Profil uloška**  
Padding section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Gol 3,00 X 2,00 m</b> Goal 3.00 x 2.00 m	<b>ART. 6853 - R3C</b> Art. 6853 - R3C	<b>sa čahurama - vruće cinčani</b> socketed; hot-dip galvanized
<b>Gol 2,40 X 1,60 m</b> Goal 2.40 x 1.60 m	<b>ART. 6853 - R2C</b> Art. 6853 - R2C	<b>sa čahurama - vruće cinčani</b> socketed; hot-dip galvanized
<b>Gol 3,00 X 2,00 m</b> Soccer goal 3.00 x 2.00 m	<b>ART. 6853 - R3C1</b> Art. 6853 - R3C1	<b>sa čahurama - plastificirani</b> socketed; plastic-coated
<b>Gol 2,40 X 1,60 m</b> Goal 2.40 x 1.60 m	<b>ART. 6853 - R2C1</b> Art. 6853 - R2C1	<b>sa čahurama - plastificirani</b> socketed; plastic-coated

# Detalji gola


Details of the goal



**Kut**  
Angle



**Stativa**  
Goal post



**PVC kukice**  
PVC hooks  
ART. 104 KP



**Čahura**  
Sleeve  
ART. 101 - CO



**Poklopac čahure**  
Cover for sleeve  
ART. 101 - PV



**Metalne kukice**  
Metal hooks  
ART. 104 KM

# Alumijski stupovi za odbojku s čahurama

Socketed aluminum volleyball post



## Alumijski stupovi za odbojku s čahurama


- radi se prema DIN-EN 1271 normi
- stup za odbojku sa mehanizmom za napinjanje fi 100mm
- stup za odbojku bez mehanizma za napinjanje fi 100mm
- čahura L = 450 mm
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja

## Socketed aluminum volleyball post


- made according to DIN-EN 1271 standard
- post with tensioning mechanism  $\varnothing$  100 mm
- post without tensioning mechanism  $\varnothing$  100 mm
- socket l = 450 mm
- anodized or plastic-coated finish according to RAL color chart



**DIN-EN 1271 norma**  
DIN-EN 1271 standard



**Profil stupa**  
Post section




**Profil čahure**  
Socket section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Stup s mehanizmom za napinjanje</b> Post with tens. mechanism	<b>ART. 6879 - SM</b> Art. 6879 - SM	
<b>Stup bez mehanizma za napinjanje</b> Post without tens. mechanism	<b>ART. 6879 - BM</b> Art. 6879 - BM	
<b>Čahure</b> Sockets	<b>ART. 101 - CO</b> Art. 101 - CO	



# Aluminijski stupovi za odbojku - dupli utor - s čahurama

Socketed aluminum volleyball post with 2 plugs



## Aluminijski stupovi za odbojku - dupli utor s čahurama


- radi se prema DIN-EN 1271 normi
- stup s duplim utorom i mehanizmom za napinjanje (2 strane)
- stup s duplim utorom i mehanizmom za napinjanje (1 strana)
- stup s duplim utorom bez mehanizma za napinjanje (2 strane)
- stup s duplim utorom bez mehanizma za napinjanje (1 strana)
- čahura L = 450 mm
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja




DIN-EN 1271 norma  
DIN-EN 1271 standard

## Socketed aluminum volleyball post with 2 plugs

- made according to DIN-EN 1271 standard
- post with 2 plugs and tensioning mechanism (double sided)
- post with 2 plugs and tensioning mechanism (one sided)
- post with 2 plugs without tensioning mechanism (double sided)
- post with 2 plugs without tensioning mechanism (one sided)
- socket l = 450 mm
- anodized or plastic-coated finish according to RAL color chart



Profil stupa  
Post section



Profil čahure  
Socket section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Stup s mehanizmom za napinjanje - 2 strane</b> <i>Post with tens. mechanism - double sided</i>	<b>ART. 6879 - SM - 2</b> <i>Art. 6879 - SM - 2</i>	
<b>Stup s mehanizmom za napinjanje - 1 strana</b> <i>Post with tens. mechanism - one sided</i>	<b>ART. 6879 - SM - 1</b> <i>Art. 6879 - SM - 1</i>	
<b>Stup bez mehanizma za napinjanje - 2 strane</b> <i>Post without tens. mechanism - double sided</i>	<b>ART. 6879 - BM - 2</b> <i>Art. 6879 - BM - 2</i>	
<b>Stup bez mehanizma za napinjanje - 1 strana</b> <i>Post without tens. mechanism - one sided</i>	<b>ART. 6879 - BM - 1</b> <i>Art. 6879 - BM - 1</i>	
<b>Čahure</b> <i>Sockets</i>	<b>ART. 101 - CO</b> <i>Art. 101 - CO</i>	

# Detalji

Details



## Mehanizam za napinjanje

Tensioning mechanism

ART. 105 - MN



## Poklopac za vanjsku čahuru

Cover for outside sleeve

ART. 101 - PV



## Zaštita za odbojkaške stupove

Protection padding

ART. 105 - MZ



## Čahura

Socket

ART. 101 - CO



## Poklopac za parket

Parquet cover

ART. 101 - PO



## PVC pokr. stupa odbojke

PVC post lid

ART. 101 - PS



# Aluminijski stupovi za prijevoznu odbojku

Portable aluminum volleyball post



## Aluminijski stupovi za prijevoznu odbojku


- radi se prema DIN-EN 1271 normi
- stup od aluminijskog profila fi 100 mm, L = 2,50 m
- ankeri za prijevoznu odbojku
- poklopac za parket
- PVC poklopac za stup fi 100 mm
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja

## Portable aluminum volleyball post

- made according to DIN-EN 1271 standard
- post made of aluminum section  $\varnothing$  100 mm; l = 2.50 m
- portable volleyball post anchors
- parquet lid
- PVC post lid  $\varnothing$  100 mm
- anodized or plastic-coated finish according to RAL color chart



DIN-EN 1271 norma  
DIN-EN 1271 standard



Profil stupa  
Post section

Naziv proizvoda  
Product name

Kataloška oznaka  
Catalog reference

Napomena  
Note

**Stupovi za prijevoznu odbojku**  
Portable volleyball post

**ART. 6879 - PO**  
Art. 6879 - PO

**Ankeri za prijevoznu odbojku**  
Portable volleyball post anchors

**ART. 106 - SP**  
Art. 106 - SP

**2 kom. / stupu**  
2 pcs. / post

# Detalji

Details



## Mehanizam za napinjanje

Tensioning mechanism

ART. 105 - MN



## Sidro prijevozne odbojke

Anchor for transport volleyball

ART. 105 - S



## Zaštita za odbojkaške stupove

Protection padding

ART. 105 - MZ



## Poklopac sidra za parket za prijenosnu odbojku

Anchor cover for transport volleyball

ART. 106 - SP



## Postolje prijevozne odbojke

Stand



## PVC pokr. stupa odbojke

PVC post lid

ART. 101 - PS



# Aluminijski stupovi za tenis s čahurama

Socketed aluminum tennis post



## Aluminijski stupovi za tenis s čahurama


- radi se u skladu s normom DIN-EN 1510
- alum. stupovi od profila 80 x 80 mm, H = 1,40 m
- čahure L = 350 mm, fi 113 mm
- poklopac za čahuru 1 (poklopac čahure)
- poklopac za čahuru 2 (poklopac kod montiranih stupova)
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja




**DIN-EN 1510 norma**  
DIN-EN 1510 standard

## Socketed aluminum tennis post

- made according to DIN-EN 1510 standard
- post made of aluminum section 80 x 80 mm; h = 1.40 m
- sockets: l = 350 mm; Ø 113 mm
- socket lid 1
- socket lid 2 (mounted post)
- plastic-coated finish according to RAL color chart



**Profil stupa**  
Post section



**Profil čahure**  
Socket section

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Stupovi za tenis</b> Tennis post	<b>ART. 6853 - T</b> Art. 6853 - T	
<b>Čahure za tenis</b> Sockets	<b>ART. 6913 - CT</b> Art. 6913 - CT	<b>h = 350 mm</b> h = 350 mm
<b>Poklopac za čahuru 1</b> Socket lid 1	<b>ART. 101 - PO</b> Art. 101 - PO	<b>fi 100 mm</b> Ø 100 mm
<b>Poklopac za čahuru 2</b> Socket lid 2	<b>ART. 107 - PC</b> Art. 107 - PC	
<b>Podupirači - sing stik štapovi</b> Singles sticks	<b>ART. 108 - SS</b> Art. 108 - SS	<b>2 kom</b> 2 pcs.

# Aluminijski stupovi za tenis - mobilni

Aluminum tennis post - portable



## Aluminijski stupovi za tenis - mobilni


- radi se u skladu s normom DIN-EN 1510
- alum. stupovi od profila 80 x 80 mm, H = 1,40 m
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja

## Portable aluminum tennis post

- made according to DIN-EN 1510 standard
- post made of aluminum section 80 x 80 mm; h = 1.40 m
- plastic-coated finish according to RAL color chart



**DIN-EN 1510 norma**  
DIN-EN 1510 standard



**Profil stupa**  
Post section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Stupovi za mobilni tenis**  
Portable tennis post

**ART. 6853 - MT**  
Art. 6853 - MT


**Ankeri za mobilni tenis**  
Portable tennis post anchors

**ART. 103 - ST**  
Art. 103 - ST

**4 kom / par**  
4 pcs. / pair

# Detalji

Details



**Čahura tenis**

Socket


Art. 6913 - CT



**Poklopac za čahuru 1**

Socket lid 1

Art. 101 - PO



**Poklopac za čahuru 2**

Socket lid 2


Art. 107 - PC



**Poklopac za čahuru za van**

Socket lid for outside

Art. 101 - PV



**Podupirači**

Support

Art. 108 - SS



**PVC poklopac stupa**

PVC post lid

Art. 101 - PST





# Aluminijski stupovi za badminton

Aluminum badminton post



## Aluminijski stupovi za badminton


- radi se u skladu s normom DIN-EN 1509
- alum. stupovi od profila fi 63 mm, H = 155 cm
- uteg čelični 2 x 25 kg
- završna obrada stupova: eloksirano ili plastificirano prema RAL karti boja

## Aluminum badminton post

- made according to DIN-EN 1509 standard
- post made of aluminum section Ø 63 mm; h = 155 cm
- steel weights - 2 x 25 kg
- plastic-coated finish according to RAL color chart



**DIN-EN 1509 norma**  
DIN-EN 1509 standard



**Profil stupa**  
Post section

**Naziv proizvoda**  
Product name

**Kataloška oznaka**  
Catalog reference

**Napomena**  
Note

**Stupovi za badminton**  
Badminton post

**ART. 7447 - B**  
Art. 7447 - B



# Aluminijski podesti bina - pozornice

Aluminum stage platform



## Aluminijski podesti bina - pozornice


- standardna veličina podesta bine je 200 x 100 cm
- glavni profil je dim: 80 x 25 mm
- teleskopski nastavljive noge rade se u više dim.: 25 - 35, 40 - 60, 60 - 100 i 80 - 120 cm
- visina nogu se podešava mm preciznošću
- gornja ploča je tvrda T-fix ploča d= 21 mm, vodootporna, protuklizna, tamnosmeđe boje
- težina standardnog podesta dim: 200 x 100 cm sa teleskopskim nogama 60 - 100 cm je 40 kg
- visina bine može biti od 25 - 120 cm
- nosivost podesta je 750 kg / m<sup>2</sup> - certifikat DIN 1055
- stepenice za različite visine bine
- kolica za prijevoz i skladištenje podesta (16 podesta / 1 kolica)
- zaštitna ograda
- mogućnost pokrivanja nogu bine tekstilom ili PVC oblogom

## Aluminum stage platform



- standard size: 200 x 100 cm
- main section dimensions: 80 x 25 mm
- adjustable telescopic legs made in several sizes: 25 - 35, 40 - 60, 60 - 100 i 80 - 120 cm
- legs height-adjustable with millimeter accuracy
- hard t-fix waterproof and anti-slip surface (t = 21 mm) in dark brown color
- weight of a standard 200 x 100 cm stage platform with 60-100 cm telescopic legs is 40 kg
- height of a stage platform can range from 25 to 120 cm
- maximum load: 750 kg / m<sup>2</sup> - DIN 1055 certificate
- stairs for various stage platform heights
- stage platform storage and transportation carts (16 platforms / 1 cart)
- stage barrier
- optional: stage legs textile or PVC coating



**DIN-EN 1055 norma**  
DIN-EN 1055 standard



**Profil**  
Section



<b>Naziv proizvoda</b> <i>Product name</i>	<b>Kataloška oznaka</b> <i>Catalog reference</i>
<b>Podest 200 x 100 mm sa teleskopsim nogama 60 - 100 cm</b> <i>Stage platform 200 x 100 mm with telescopic legs 60 - 100 cm</i>	<b>ART. 6527 - PN</b> <i>Art. 6527 - PN</i>
<b>Podest 200 x 100 mm sa pločom, bez nogu</b> <i>Hard surface stage platform 200 x 100 mm without telescopic legs</i>	<b>ART. 6527 - P</b> <i>Art. 6527 - P</i>
<b>Teleskopske noge 80 - 120 cm</b> <i>Telescopic legs 80 - 120 cm</i>	<b>ART. 4257 - 120</b> <i>Art. 4257 - 120</i>
<b>Teleskopske noge 60 - 100 cm</b> <i>Telescopic legs 60 - 100 cm</i>	<b>ART. 4257 - 100</b> <i>Art. 4257 - 100</i>
<b>Teleskopske noge 40 - 60 cm</b> <i>Telescopic legs 40 - 60 cm</i>	<b>ART. 4257 - 60</b> <i>Art. 4257 - 60</i>
<b>Teleskopske noge 25 - 35 cm</b> <i>Telescopic legs 25 - 35 cm</i>	<b>ART. 4257 - 35</b> <i>Art. 4257 - 35</i>
<b>Stepenice</b> <i>Stairs</i>	<b>ART. 109 - ST</b> <i>Art. 109 - ST</i>
<b>Kolica</b> <i>Cart</i>	<b>ART. 110 - KP</b> <i>Art. 110 - KP</i>

# Detalji

Details



## Stepenice

Stairs

Art. 109 ST 120  
Art. 109 ST 100  
Art. 109 ST 80  
Art. 109 ST 60  
Art. 109 ST 40



## Zaštitna ograda

Stage barrier

Art. 101 - 01 (L = 2,00 ml)  
Art. 101 - 02 (L = 1,00 ml)



## Kolica za prijevoz i sklad

Storage and transportation cart

Art. 110 - KP



## Kutnik

Bracket

Art. 110 - K



## Spojnic

Clamp

Art. 110 - S



## Teleskopska noga

Telescopic leg



# Kučice za rezervne igrače

Aluminum shelters for substitute players



## Alumijske kućice za rezervne igrače

- alumijska konstrukcija se radi od profila 65 x 30 mm
- krov, leđa i bočne stranice: polikarbonatne ploče 6 mm
- PVC sjedalice s naslonom za leđa od polipropilena dim: 42 x 40 x 32 cm, sa UV zaštitom, nezapaljiva (2 sjedalice / 1 ml)
- završna obrada alum. konstrukcije: plastificirano prema RAL karti boja ili eloksirano



Profil  
Section

## Aluminum shelters for substitute players

- construction made of aluminum profile 65 x 30 mm
- roof, back and sides: polycarbonate panels 6 mm
- fire-resistant & UV-protected PVC seats with polypropylene backrest
- dimensions: 42 x 40 x 32 cm
- anodized or plastic-coated finish according to RAL color chart

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>dim: 126 x 135 x 220 cm</b> dim: 126 x 135 x 220 cm	<b>ART. 7556 - 2</b> Art. 7556 - 2	<b>2 sjedeća mjesta</b> 2 seats
<b>dim: 205 x 135 x 220 cm</b> dim: 205 x 135 x 220 cm	<b>ART. 7556 - 4</b> Art. 7556 - 4	<b>4 sjedeća mjesta</b> 4 seats
<b>dim: 303 x 135 x 220 cm</b> dim: 303 x 135 x 220 cm	<b>ART. 7556 - 6</b> Art. 7556 - 6	<b>6 sjedeća mjesta</b> 6 seats
<b>dim: 402 x 135 x 220 cm</b> dim: 402 x 135 x 220 cm	<b>ART. 7556 - 8</b> Art. 7556 - 8	<b>8 sjedeća mjesta</b> 8 seats
<b>dim: 500 x 135 x 220 cm</b> dim: 500 x 135 x 220 cm	<b>ART. 7556 - 10</b> Art. 7556 - 10	<b>10 sjedeća mjesta</b> 10 seats
<b>dim: 600 x 135 x 220 cm</b> dim: 600 x 135 x 220 cm	<b>ART. 7556 - 12</b> Art. 7556 - 12	<b>12 sjedeća mjesta</b> 12 seats
<b>dim: 700 x 135 x 220 cm</b> dim: 700 x 135 x 220 cm	<b>ART. 7556 - 14</b> Art. 7556 - 14	<b>14 sjedeća mjesta</b> 14 seats





# Malonogometna igrališta - mobilna

Portable futsal courts






## Malonogometna igrališta

- konstrukcija je od alum. profila
- ispune: zidni sendvič d = 30 mm  
(2 x plastificirani čelični lim d = 0,40 mm, sa poliuretanskom ispunom visoke gustoće)
- visina panela 110 cm
- završna obrada alum. konstrukcije: plastificirano prema RAL karti boja ili eloksirano

## Futsal courts

- construction made of aluminum profile
- padding: wall sandwich panel; t = 30 mm  
(2 x plastic-coated steel sheet; t = 0.40 mm with high density polyurethane padding)
- panel height: 110 cm
- anodized or plastic-coated finish according to RAL color chart

Profil  
Section



Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Stupovi - ravni</b> Rods - flat	<b>ART. 7331 - S0</b> Art. 7331 - S0	
<b>Stupovi - kutni</b> Rods - angular	<b>ART. 7331 - SK</b> Art. 7331 - SK	
<b>Panel 3,00 x 1,00 m</b> Panel - 3.00 x 1.00 m	<b>ART. 2170 - P3</b> Art. 2170 - P3	<b>Standard: bijeli</b> Standard: white
<b>Panel 2,00 x 1,00 m</b> Panel - 2.00 x 1.00 m	<b>ART. 2170 - P2</b> Art. 2170 - P2	<b>Standard: bijeli</b> Standard: white
<b>Panel 1,00 x 1,00 m</b> Panel - 1.00 x 1.00 m	<b>ART. 2170 - P1</b> Art. 2170 - P1	<b>Standard: bijeli</b> Standard: white
<b>Panel vrata 1 m</b> Panel - door 1.00 m	<b>ART. 2170 - PV</b> Art. 2170 - PV	<b>Standard: bijeli</b> Standard: white
<b>Stup za zaštitnu mrežu</b> Safety net holder	<b>ART. 7330 - Z0</b> Art. 7330 - Z0	

# Detalji

Details



## Stup za zaštitnu mrežu

Safety net holder

Art. 7330 - Z03 (H = 3 m)

Art. 7330 - Z04 (H = 4 m)

Art. 7330 - Z05 (H = 5 m)


Art. 7330 - Z06 (H = 6 m)



## Uteg


Weight

Art. 113 - U



## Panel profilacije

Panel profiling



## Zidni panel bijeli

Wall panel white



## Zidni panel u boji

Wall panel colored



## Gumeni poklopac stupa

Rubber lid

Art. 113 - P

# Jednocijevna košarkaška konstrukcija - sa čahurom

*Socketed single pole basketball stand*



## Jednocijevna košarkaška konstrukcija

- izrađuje se u skladu s normom EN 1270
- izrađuje se u skladu s normama 3834 i EN 1090
- metalna konstrukcija se radi od čeličnog profila 120 x 120 mm
- čahura je od čeličnog profila 123 x 123 mm, L = 60 cm
- kompletna metalna konstrukcija je vruće cinčana
- ploča je od polyestera dim: 180 x 105 cm
- koš je fiksni, duplo ojačan, s mrežicom
- konstrukcija je potpuno zavarena
- konstrukcija koša je 165 cm
- težina: 125 kg

## *Single pole basketball stand*

- *made according to EN 1270, EN 1090 & 3834 standards*
- *metal construction made of steel section 120 x 120 mm*
- *metal construction completely hot-dip galvanized*
- *backboard made of polyester; dim.: 180 x 105 cm*
- *fixed double-reinforced basketball hoop with net*
- *fully welded construction*
- *hoop construction: 165 cm*
- *weight: 125 kg*



**DIN-EN 1270 norma**  
*DIN-EN 1270 standard*



**DIN-EN 1090 norma**  
*DIN-EN 1090 standard*

**Naziv proizvoda**  
*Product name*

**Kataloška oznaka**  
*Catalog reference*

**Jednocijevna košarkaška konstrukcija - sa čahurom**  
*Socketed single - pole basketball stand*

**ART. 1000 - JK**  
*Art. 1000 - JK*

# Detalji

Details



## Koš

Basketball hoop

Art. 112 - FK  
(fiksno, duplo ojačan /  
fixed, double-reinforced)  
Art. 112 - ZK  
(zglobni koš/ hinged)



## Košarkaške table

Basketball backboards

Art. 112 - PT (polyester 180 x 105 cm)  
Art. 112 - MT (melamenika 180 x 105 cm)



## Čahura

Socket

Art. 112 - C



## Tabla s košem

Backboard with hoop

Art. 112 - TK



## Mrežica

Net

Art. 112 - MR

# Tipske garderobne klupe - visoke

*Standard locker room benches*



## **Tipske garderobne klupe**

- sastoje se iz dijela za sjedenje ispod kojeg su prečke za odlaganje obuće, naslona i gornjeg dijela za kačenje odjeće i odlaganje torbi
- metalna konstrukcija se izrađuje od željeznih profila 35 x 35 x 2 mm, a sjedište klupe, naslon i podloga za kačenje odjeće i odlaganje torbi od: oplemenjene iverice kantirane ABS-om 2 mm, aluminijskih profila - letvi dim. 80 x 20 x 2 mm, lameliranog drva
- završetci metalnih profila se zatvaraju plastičnim čepovima
- metalna konstrukcija se plastificira u boju prema ral karti boja
- klupe mogu biti jednostrane ili dvostrane
- standardna visina klupa je 160 - 180 cm
- standardna visina sjedala je 45 - 50 cm
- standardna dubina sjedala je 35 - 40 cm

## ***Standard locker room benches***

- *composed of seating area with an under seat shoe rack, backrest and a hook rack for hanging clothes and bags*
- *metal construction made of iron section 35 x 35 x 2 mm*
- *seating area, backrest and hook rack made of:*
  - *ABS soft-formed refined plywood 2 mm*
  - *aluminum section 80 x 20 x 2 mm*
  - *laminated wood*
- *end parts of metal sections are secured with plastic lids*
- *metal construction plastic-coated into a color according to RAL color chart*
- *available in one-sided or two-sided version*
- *standard bench height: 160 - 180 cm*
- *standard seat height: 45 - 50 cm*
- *standard seat depth: 35 - 40 cm*

Naziv proizvoda Product name	Kataloška oznaka Catalog reference	Napomena Note
<b>Klupa 100 x 40 x 180 cm</b> <i>Bench - 100 x 40 x 180 cm</i>	<b>ART. 1100 - J100</b> <i>Art. 1100 - J100</i>	<b>jednostrana</b> <i>one - sided</i>
<b>Klupa 120 x 40 x 180 cm</b> <i>Bench - 120 x 40 x 180 cm</i>	<b>ART. 1100 - J120</b> <i>Art. 1100 - J120</i>	<b>jednostrana</b> <i>one - sided</i>
<b>Klupa 150 x 40 x 180 cm</b> <i>Bench - 150 x 40 x 180 cm</i>	<b>ART. 1100 - J150</b> <i>Art. 1100 - J150</i>	<b>jednostrana</b> <i>one - sided</i>
<b>Klupa 200 x 40 x 180 cm</b> <i>Bench - 200 x 40 x 180 cm</i>	<b>ART. 1100 - J200</b> <i>Art. 1100 - J200</i>	<b>jednostrana</b> <i>one - sided</i>
<b>Klupa 100 x 40 x 180 cm</b> <i>Bench - 100 x 40 x 180 cm</i>	<b>ART. 1100 - D100</b> <i>Art. 1100 - D100</i>	<b>dvostrana</b> <i>two - sided</i>
<b>Klupa 120 x 40 x 180 cm</b> <i>Bench - 120 x 40 x 180 cm</i>	<b>ART. 1100 - D120</b> <i>Art. 1100 - D120</i>	<b>dvostrana</b> <i>two - sided</i>
<b>Klupa 150 x 40 x 180 cm</b> <i>Bench - 150 x 40 x 180 cm</i>	<b>ART. 1100 - D150</b> <i>Art. 1100 - D150</i>	<b>dvostrana</b> <i>two - sided</i>
<b>Klupa 200 x 40 x 180 cm</b> <i>Bench - 200 x 40 x 180 cm</i>	<b>ART. 1100 - D200</b> <i>Art. 1100 - D200</i>	<b>dvostrana</b> <i>two - sided</i>





**Nika konstrukcije d.o.o.**  
Ulica Braće Radića 23  
Petrijanec 42206, Hrvatska

+385 42 303 166  
[info@nika-konstrukcije.hr](mailto:info@nika-konstrukcije.hr)  
[www.nika-konstrukcije.hr](http://www.nika-konstrukcije.hr)

